

TC-417 ADHESIVE

SAFETY DATA SHEET

(Page 1 of 5)

Issue or Revision Date: 2018 January 03

SECTION 1

IDENTIFICATION

Product Name: TC-417 Adhesive

Manufacturer/Supplier: ThermaCoustic Industries International Limited
Unit 108, 20119 – 113B Avenue
Maple Ridge, BC V2X 0Z1
604 460 1476

Office Hours: 07:00 – 15:00 Monday to Friday
(Except Canadian Statutory Holidays)

Emergency Telephone: 604 460 1475

Recommended Use: Component of TC-417 thermal and acoustic insulation.
On-site manufacturing by trained / approved Applicators

Restrictions on Use: Must be kept from freezing

SECTION 2

HAZARDS IDENTIFICATION

Hazard Classification: This product is considered non-hazardous under the OSHA Hazard Communication Standard (HCS 2012)
This product is considered non-hazardous under the GMS



Label elements:

Caution / Potential Health Effects:

Eyes - May cause eye irritation
Skin – Prolonged or repeated exposure may cause skin irritation
Ingestion – May cause gastrointestinal irritation
Respiratory system - May cause irritation to the nose and upper respiratory track if inhaled

SECTION 3

COMPOSITION / INFORMATION ON INGREDIENTS

Components: Proprietary blend of water-based polymeric emulsion
Common chemical name: Blend of Polyvinyl Acetate, Homo & Copolymer
CAS Number: None Assigned

TC-417 ADHESIVE

SAFETY DATA SHEET

(Page 2 of 5)

SECTION 4

FIRST AID MEASURES

Ingestion:	If swallowed, induce vomiting if victim is alert. Do not induce vomiting if Patient is unconscious. Get prompt medical help.
Skin Contact:	Flush with water and soap.
Inhalation:	Remove to open air or away from source of irritation.
Eye:	Flush with water until irritation subsides. If irritation persists seek medical attention

SECTION 5

FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	The product in solution form does not burn. The product will burn only after the water it contains is driven off. For dry polymer, use alcohol resistant foam, carbon dioxide or dry chemical
Other information:	This is a water based product and presents no particular fire or explosion hazard.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Contaminated surfaces will be slippery. Avoid contact with the skin and the Eyes
Environmental Precautions:	Do not flush into surface water or sanitary sewer system.
Methods for cleaning up:	Soak up with inert absorbent materials (eg. Sand, silica gel, acid binder, universal binder, sawdust) Keep in suitable closed containers for disposal. Contaminated equipment (brushes, rags) must be cleaned immediately with water. Dispose of in accordance with local regulations.

SECTION 7

HANDLING AND STORAGE

Precautions for safe handling:	Open containers in ventilated area.
Protection (fire and explosion):	No special protective measures against fire required.
Storage:	Keep tightly closed in a dry and cool place Protect from frost. Keep at temperatures between 5-25 degree C (40-77 degree F)

TC-417 ADHESIVE

SAFETY DATA SHEET

(Page 3 of 5)

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA exposure limits:	No exposure limits established (?)
ACGIH Exposure limits:	No exposure limits established
Exposure Controls:	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Protective equipment:	A safety shower and eyebath should be readily available
General advice:	Avoid contact with skin and eyes
Skin protection:	Wear impervious clothing and gloves when there is a reasonable chance for skin contact.
Eye / Face protection:	Safety glasses with side shields

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Form: Liquid Color: Milky white Odor: Sweet
Odour threshold:	Not applicable
Vapour pressure (mm/HG)	Not available
Vapour density (Air – 1):	Not available
Evaporation rate:	1.00
Freezing point:	Harden & gel at 0 degree C
Boiling point:	Not applicable
pH:	6.5 – 7.0
Specific Gravity:	1.08
VOC:	<1g/L
Viscosity:	1500-2000 cps
Coefficient Water / Oil distribution:	Not applicable
Solubility in water:	Soluble & Mixable

TC-417 ADHESIVE

SAFETY DATA SHEET

(Page 4 of 5)

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable
Reactivity:	Stable under recommended storage conditions. No decomposition if stored & handled as prescribed.
Conditions to avoid:	Do not freeze
Incompatible materials:	Materials that react with water
Possibility of hazardous reactions:	No hazards to be especially mentioned

SECTION 11 TOXICOLOGICAL INFORMATION

Routes of exposure:	Skin, eye, inhalation
Symptoms of exposure:	Eyes - eye irritation Skin –skin irritation Ingestion –gastrointestinal irritation Respiratory system

Toxicological data not available

SECTION 12 ECOLOGICAL INFORMATION

Eco-toxicological data are not available. According to past history, the material has no harmful effect on the environment

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Considerations:	Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition.
--------------------------	-----------------------------------------------------------------------------------------------------------------------------------

Warning:	Do not dispose in sinks, toilets or storm drains
----------	--------------------------------------------------

Note that this handling and disposal information may also apply to empty containers and liners. This information is intended as an aid to proper handling and disposal, the final responsibility for handling and disposal is with the owner of the waste.

TC-417 ADHESIVE

SAFETY DATA SHEET

(Page 5 of 5)

SECTION 14

TRANSPORT INFORMATION

US Department of Transportation:	Not regulated and not classified as dangerous goods
TDG:	Not regulated and not classified as dangerous goods
ICAO/IATA:	Not regulated and not classified as dangerous goods
IMDG:	Not regulated and not classified as dangerous goods

SECTION 15

REGULATORY INFORMATION

US Federal Regulations:	TSCA Inventory – This product complies with the U.S. Toxic Substances Control Act (TSCA)
Canadian Regulations:	GHS Classification – Not a GHS controlled product

All components are listed on the Canadian Domestic Substance List (DSL)

SECTION 16

OTHER INFORMATION

HMIS:	Health: 1
Flammability:	0
Physical Hazard:	0
LEED:	Compliant

Prepared by:
Product Stewardship Department
ThermaCoustics Industries International Ltd.

The above data are the results of carefully executed investigation. We do not guarantee the applicability of the accuracy of this information or suitability of our products in any given situation, because we cannot control the wide range of possibility. The products discussed are sold without warranty, either express or implied. User and or Buyer assume all risks and liability for the results obtained whether used singly or in combination with other products. Our liability for all damages hereunder shall in no case exceed the purchase price of the quantity consumed of the particular shipment with respect to which such damages may be claimed.

User must meet all applicable safety and health standards and SDS are provided as a service to the customer. Possession of SDS does not indicate the purchase of or user of the product.

